

PT-KX



Anti-rust with a powder coating, high durability and reliability.



Designed with standard 3-point hook mechanism, easy to change many different farm tools



Farming tool lifting system with 1-way hydraulic cylinder, helping farm tools self-lift when encountering obstacles



Easy working on the dry, wet and muddy field with the self-propelled rubber tracks.

SPECIFICATIONS

Model	m	PT-KX
Dimensions(LxWxH) *Dimensions when folded case	mm	4120x2320x2700 3800x2320x2700
Net Weight	kg	2525
Carrying capacity	sacks	100sacks x 50kg
Capacity	hectars/hr	0,6-1
Moving system	Rubber track	500x90x53
Gearbox		6 forward, 2 reverse
Diesel engine power	hp	75
Lifting system	Hydraulic	3-point hook; type 1
Protect paint		Electrostatic paint





Exclusively Distributed by:

GRAINSCO
Grains Innovation & Solutions Co., Inc.

📍 **MANILA OFFICE**
Unit 206, Veria Bldg., 62 West Avenue,
Quezon City 1104, Metro-Manila, PH

📞 **FARM MACHINERY**
0917 101-8888 / 0919 088-8881

📞 **GRAIN PROCESSING**
0917 103-8888 / 0919 088-8883

✉ info@grainsco.com

🌐 www.grainsco.com

📘 facebook.com/Grainsco

📷 instagram.com/grainscoph

📺 youtube.com/@grainscoph